

TOTAL LUBRICANT RANGE



**INNOVATIONS
CREATING
PERFORMANCES**



You know where to turn

TOTAL

ENGINE OILS

INNOVATIONS CREATING PERFO



Specifications:
ACEA C2 and A5/B5
PEUGEOT and CITROËN



QUARTZ INEO ECS

Low SAPS technology lubricant with exceptional ecological and economical performances. Fuel Economy certified. Only Low SAPS lubricant recommended by Peugeot and Citroën. It optimises the efficiency and life span of Diesel Particulate Filters (DPF).



Specifications:
ACEA C3, API SL/CF
BMW Long Life 04
MERCEDES-BENZ
p.229.31

- ☑ FUEL ECONOMY: UP TO 6% IN THE STARTING PHASE*
- ☑ INCREASED LONGEVITY OF THE DPF**
- ☑ BETTER RESPECT FOR THE ENVIRONMENT
- ☑ EXCELLENT ENGINE PROTECTION AND CLEANLINESS
- ☑ RESISTANCE TO THE MOST SEVERE PEUGEOT AND CITROËN MAINTENANCE CYCLES
- ☑ INCREASED ENGINE POWER FOR GREATER DRIVING ENJOYMENT

Specifications:
ACEA A3/B4, API SL/CF,
MERCEDES-BENZ p.229.5
BMW Long Life 01
VOLKSWAGEN 502.00/505.00
GENERAL MOTORS LL-A025/B025
PEUGEOT and CITROËN



QUARTZ ENERGY 9000 0W-30

100% synthetic lubricant, universal Homologated by a great number of carmakers, and compliant with the main international standards.

- ☑ IMMEDIATE ENGINE LUBRICATION
- ☑ EASIER STARTING IN EXTREME COLD WEATHER
- ☑ OPTIMUM ENGINE CLEANLINESS AND PROTECTION AGAINST WEAR
- ☑ REDUCTION OF POLLUTING EMISSIONS AND OF FUEL CONSUMPTION
- ☑ EXTENDED DRAIN INTERVALS

Specifications:
ACEA A5/B5, API SL/CF
PEUGEOT and
CITROËN



QUARTZ FUTUR 9000 5W-30

Synthetic lubricant based on Fuel Economy technology. A very high performance formulation, thanks to superior quality additives and synthetic bases, which is ideal for the most advanced Gasoline and Diesel engines.

- ☑ FUEL ECONOMY
- ☑ QUICK ENGINE LUBRICATION AT LOW TEMPERATURES
- ☑ PROTECTION AGAINST WEAR THANKS TO THE OIL FILM'S RESISTANCE TO VERY HIGH TEMPERATURES

Specifications:
ACEA A3/B4, API SL/CF
VOLKSWAGEN 502.00/505.00
MERCEDES-BENZ p.229.3
BMW LL 98
PEUGEOT and CITROËN



QUARTZ 9000 5W-40

Synthetic technology lubricant designed to be suitable for longer drain intervals and to provide exceptional resistance to oxidation, for both Gasoline and Diesel engines. Engine performance is optimised even when subjected to extreme usage conditions.

- ☑ EXCEPTIONAL PROTECTION OF ENGINE PARTS
- ☑ ENGINE LONGEVITY AND INCREASED OUTPUT
- ☑ LONGER DRAIN INTERVALS
- ☑ SEVERE USAGE CONDITIONS

* Result obtained in comparison with a traditional oil in a Citroën C4 1.6 HDI

** DPF: Diesel Particulate Filter

PERFORMANCES



QUARTZ INEO MC3

Low SAPS technology lubricants specially formulated for vehicles in the BMW and Mercedes-Benz groups. Fully meets the new environmental standards and optimises the DPF**. Satisfies the most severe maintenance plans of carmakers, notably for extended drain intervals.

- ☑ INCREASED LONGEVITY OF THE DPF**
- ☑ BETTER RESPECT FOR THE ENVIRONMENT
- ☑ EXCELLENT ENGINE PROTECTION AND CLEANLINESS
- ☑ EXTENDED DRAIN INTERVALS

Specifications:
ACEA A3/B4
VOLKSWAGEN 504.00/507.00



QUARTZ INEO 504/507

Low SAPS technology lubricant specially formulated for vehicles from the Volkswagen group. Fully meets the new environmental standards and optimises the DPF**. Provides engines with excellent protection against wear and ensures their optimum cleanliness.

- ☑ INCREASED LONGEVITY OF THE DPF**
- ☑ SUITABLE FOR ALMOST ALL VEHICLES IN THE VOLKSWAGEN GROUP
- ☑ BETTER RESPECT FOR THE ENVIRONMENT
- ☑ EXTENDED DRAIN INTERVALS
- ☑ EXCELLENT ENGINE PROTECTION AND CLEANLINESS



Specifications:
ACEA A2/B2, API SL/CF
PEUGEOT and CITROËN

QUARTZ 5000 15W-40

Mineral technology lubricant formulated in order to ensure perfect engine lubrication under normal usage conditions.

- ☑ ENGINE CLEANLINESS
- ☑ INCREASED PROTECTION AGAINST WEAR AND CORROSION
- ☑ NORMAL USAGE CONDITIONS

Specifications:
ACEA A3/B3
API SL/CF



QUARTZ RACING 10W-50

Synthetic technology lubricant developed in order to meet extreme usage conditions during competitions. Perfectly suitable for all direct injection Gasoline and Diesel engines.

- ☑ EXCELLENT RESISTANCE TO VERY HIGH TEMPERATURES
- ☑ GREAT PROTECTION AGAINST WEAR
- ☑ VERY GOOD RESISTANCE TO OXIDATION

Specifications:
ACEA A3/B3, API SL/CF
VOLKSWAGEN 500.00 (level)
505.00
MERCEDES-BENZ p.229.1
PEUGEOT and CITROËN



QUARTZ 7000 10W-40

Synthetic base lubricant formulated in order to maintain the engine's original performance. The protection of the parts against wear and corrosion is guaranteed under normal usage conditions.

- ☑ MAXIMUM PROTECTION AS OF STARTING
- ☑ LENGTHENED ENGINE LIFE SPAN THANKS TO THE ANTI-WEAR PROPERTIES
- ☑ NORMAL USAGE CONDITIONS

SPECIALITIES

RANGE

Transmission oils

TRANSMISSION BV 75W-80

Oil specially designed for the lubrication of manual gearboxes.

- ☑ Performances: • Fuel Economy • High thermal stability • Excellent anti-wear, anti-corrosion and anti-rust properties • Optimised gear changing in both hot and cold temperatures
- ☑ Specification: PSA B71 2330



TRANSMISSION SYN FE 75W-90

Synthetic oil for manual gearboxes, axles and reduction gears.

- ☑ Performances: • Strengthened extreme pressure and anti-wear properties • Excellent thermal stability • Driving comfort • Fuel economy
- ☑ Specifications: API GL-4 and GL-5



FLUIDE ATX

Fluid meeting the DEXRON® IID specification and specially designed to lubricate the automatic gearboxes (MB3) and power steering systems of passenger and utility vehicles.

- ☑ Performances: • Excellent oxidation resistance • Very high viscosity index together with excellent thermal stability
- ☑ Specifications: PSA S71 2102 • Mercedes-Benz p.236.6 • GM DEXRON® IID • BMW groupe 23-3.0 and 24-3.0 • ZF TE-ML 09



FLUIDE AT42

Oil formulated for automatic transmissions (MB3, 4HP14, 4HP18).

- ☑ Performances: • Very good thermal stability • Optimum resistance to oxidation
- ☑ Specifications: • PSA • GM DEXRON®III • BMW group 24-3.0 • Mercedes-Benz p.236.1 and p.236-5 • Ford MERCON (1992) • ZF TE-ML 09



TRANSMISSION X4 80W-90

Multigrade oil for axles fitted with limited slip differentials, designed for 4-wheel drive passenger and utility vehicles

- ☑ Performances: • Excellent anti-wear, anti-corrosion and anti-rust properties • High thermal stability
- ☑ Specifications: • PSA B71 2375 • API GL-5



Hydraulic liquid

LHM PLUS

Green-coloured mineral fluid designed for the hydraulic systems that operate the power steering, suspension and braking circuits of vehicles such as the CITROËN XM, XANTIA, BX, LIT, GS, DS.

- ☑ Performances: • Excellent lubricating power • Exceptional protection against corrosion • Exceptionally high viscosity index

- ☑ Specification: PSA B71 2710

